

METZ CAMERA COMPATIBILITY - CANON EOS



April 2015																			
Latest camera models	CANON EOS 5 DS R	CANON EOS 5 DS	CANON EOS 760 D	CANON EOS 750 D	CANON EOS M 3	CANON EOS 7 D Mk II	CANON EOS 1200 D	CANON EOS 70 D	CANON EOS 100 D	CANON EOS 700 D	CANON EOS 6 D	CANON EOS M	CANON EOS 650 D	CANON EOS 5 D Mk III	CANON EOS 1 Dx	CANON EOS 1 Dc	CANON EOS 1100 D	CANON EOS 600 D	
Available since	Jun 15	Jun 15	May 15	May 15	Mar 15	Nov 14	Mar 13	Aug 13	Apr 13	Apr 13	Nov 12	Oct 12	Oct 12	Mar 12	Apr 12	Oct 12	Mar 11	Mar 11	
Camera type	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC CSC	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC CSC	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	
Camera TTL flash system	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	
Camera hotshoe type	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	
Built-in flash	•	•	•	•	•	•	•	•	•	•	---	---	•	---	---	---	•	•	
Built-in flash w. Remote TTL Master	•	•	•	•	•	•	---	•	---	•	---	---	•	---	---	---	•	•	
NEWEST METZ FLASHES																			
	64 AF-1 digital for Canon	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow													flash software ≥ V1
	52 AF-1 digital for Canon	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow													flash software ≥ V1
	44 AF-1 digital for Canon	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow													flash software ≥ V2
	36 AF-5 digital for Canon	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow													flash software ≥ V2
	26 AF-1 digital for Canon	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow													flash software ≥ V1
	24 AF-1 digital for Canon	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow													flash software ≥ V2
	76 MZ-5 digital with SCA 3102	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow					SCA software ≥ M 6					---	---		SCA software ≥ M5
	15 MS-1 digital macro flash Canon mode										flash software ≥ V3								
PREVIOUS METZ FLASHES																			
	58 AF-2 digital for Canon	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow													flash software ≥ V2
	50 AF-1 digital for Canon	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow	TEST result will follow													flash software ≥ V2

Explanation:
 DSC = Digital System Camera
 DSLR = Digital Single Lens Reflex Camera with changeable lenses
 CSC = Digital System Camera (mirrorless) with changeable lenses
 Fix Lens = Digital Camera with fix lenses

METZ CAMERA COMPATIBILITY - CANON POWERSHOT



April 2015																		
Latest camera models	CANON PowerShot SX 60 HS	CANON PowerShot G 1 X Mk II	CANON PowerShot G 16	CANON PowerShot SX 50 HS	CANON PowerShot G 15	CANON PowerShot G 1 X	CANON PowerShot SX 40 HS	CANON PowerShot G 12	CANON PowerShot SX 30 IS	CANON PowerShot G 11	CANON PowerShot SX 20 IS	CANON PowerShot SX 1 IS	CANON PowerShot G 10	CANON PowerShot SX 10 IS	CANON PowerShot G 9	CANON PowerShot S 5 IS		
Available since	Jun 15	May 14	Sep 13	Oct 12	Oct 12	Feb 12	Oct 11	Nov 10	Aug 10	Oct 09	Sep 09	Dec 08	Oct 08	Oct 08	Oct 07	Jun 07		
Camera type	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens		
Camera TTL flash system	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II		
Camera hotshoe type	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon	Canon		
Built-in flash	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
Built-in flash w. Remote TTL Master	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		

NEWEST METZ FLASHES

	64 AF-1 digital for Canon	TEST result will follow																
	52 AF-1 digital for Canon	TEST result will follow																
	44 AF-1 digital for Canon	TEST result will follow																
	36 AF-5 digital for Canon	TEST result will follow																
	26 AF-1 digital for Canon	TEST result will follow																
	24 AF-1 digital for Canon	TEST result will follow																
	76 MZ-5 digital with SCA 3102	TEST result will follow																
	15 MS-1 digital macro flash Canon mode																	

PREVIOUS METZ FLASHES

	58 AF-2 digital for Canon	TEST result will follow																
	50 AF-1 digital for Canon	TEST result will follow																

Explanation:
 DSC = Digital System Camera
 DSLR = Digital Single Lens Reflex Camera with changeable lenses
 CSC = Digital System Camera (mirrorless) with changeable lenses
 Fix Lens = Digital Camera with fix lenses

METZ CAMERA COMPATIBILITY - NIKON DSLR



April 2015																			
Latest camera models	NIKON D 7200	NIKON D 5500	NIKON D 4 S	NIKON Df	NIKON D 750	NIKON D 810	NIKON D 3300	NIKON D 5300	NIKON D 610	NIKON D 7100	NIKON D 5200	NIKON D 600	NIKON D 800 E / 800	NIKON D 3200	NIKON D 4	NIKON D 5100	NIKON D 7000	NIKON D 3100	
Available since	Mar 15	Feb 15	Mar 14	Dec 13	Oct 14	Jul 14	Feb 14	Nov 13	Oct 13	Mar 13	Nov 12	Sep 12	Aug 12	May 12	Feb 12	Apr 11	Oct 12	Sep 10	
Camera type	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	
Camera TTL flash system	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	
Camera hotshoe type	Nikon	Nikon	Nikon	Nikon	Nikon	Nikon	Nikon	Nikon	Nikon	Nikon	Nikon	Nikon	Nikon	Nikon	Nikon	Nikon	Nikon	Nikon	
Built-in flash	•	•	---	---	•	•	•	•	•	•	•	•	•	•	---	•	•	•	
Built-in flash w. Remote TTL Master	•	---	---	---	•	•	---	---	•	•	---	•	•	---	---	---	•	---	
NEWEST METZ FLASHES																			
	64 AF-1 digital for Nikon	TEST result will follow	TEST result will follow																flash software ≥ V1
	52 AF-1 digital for Nikon	TEST result will follow	TEST result will follow																flash software ≥ V1
	44 AF-1 digital for Nikon	TEST result will follow	TEST result will follow																flash software ≥ V1
	36 AF-5 digital for Nikon	TEST result will follow	TEST result will follow																flash software ≥ V4
	26 AF-1 digital for Nikon	TEST result will follow	TEST result will follow																flash software ≥ V1
	24 AF-1 digital for Nikon	TEST result will follow	TEST result will follow																flash software ≥ V1
	76 MZ-5 digital with SCA 3402	TEST result will follow	TEST result will follow																SCA software ≥ M10
	15 MS-1 digital macro flash Nikon mode																		flash software ≥ V3
PREVIOUS METZ FLASHES																			
	58 AF-2 digital for Nikon	TEST result will follow	TEST result will follow																flash software ≥ V1
	50 AF-1 digital for Nikon	TEST result will follow	TEST result will follow																flash software ≥ V1

Explanation:
 DSC = Digital System Camera
 DSLR = Digital Single Lens Reflex Camera with changeable lenses
 CSC = Digital System Camera (mirrorless) with changeable lenses
 Fix Lens = Digital Camera with fix lenses

METZ CAMERA COMPATIBILITY - NIKON COOLPIX



April 2015																			
Latest camera models																			
Available since	Sep 13	May 13	Sep 12	Sep 11	Sep 10	Sep 07	Mar 07												
Camera type	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens												
Camera TTL flash system	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL												
Camera hotshoe type	Nikon	Nikon	Nikon	Nikon	Nikon	Nikon	Nikon												
Built-in flash	•	•	•	•	•	•	•												
Built-in flash w. Remote TTL Master	•	---	•	---	---	---	---												
NEWEST METZ FLASHES																			
	64 AF-1 digital for Nikon																		
	52 AF-1 digital for Nikon	flash sw ≥ V2																	
	44 AF-1 digital for Nikon	flash sw ≥ V2																	
	36 AF-5 digital for Nikon																		
	26 AF-1 digital for Nikon																		
	24 AF-1 digital for Nikon																		
	76 MZ-5 digital with SCA 3402																		
	15 MS-1 digital macro flash Nikon mode																		
PREVIOUS METZ FLASHES																			
	58 AF-2 digital for Nikon																		
	50 AF-1 digital for Nikon																		

Explanation:
 DSC = Digital System Camera
 DSLR = Digital Single Lens Reflex Camera with changeable lenses
 CSC = Digital System Camera (mirrorless) with changeable lenses
 Fix Lens = Digital Camera with fix lenses

METZ CAMERA COMPATIBILITY - SONY



April 2015																		
Latest camera models	SONY Alpha 7 II	SONY Alpha 7 S	SONY Alpha SLT-A77 II	SONY Alpha HX60/60V	SONY Alpha HX400/400V	SONY Alpha 6000	SONY DSC RX 10	SONY Alpha 7	SONY Alpha 7 R	SONY Alpha 3000	SONY DSC RX 100 II	SONY DSC RX 1 R	SONY DSC HX50/50V	SONY Alpha SLT-A58	SONY DSC RX 1	SONY NEX 6	SONY Alpha 99 V	SONY Alpha 37
Available since	Jan 15	May 14	May 14	Mar 14	Mar 14	Apr 14	Nov 13	Nov 13	Nov 13	Sep 13	Aug 13	Aug 13	May 13	Apr 13	Dec 12	Nov 12	Nov 12	Jul 12
Camera type	DSC CSC	DSC CSC	DSC DSLR	DSC Fix Lens	DSC Fix Lens	DSC CSC	DSC Fix Lens	DSC CSC	DSC CSC	DSC DSLR	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC DSLR	DSC Fix Lens	DSC CSC	DSC DSLR	DSC DSLR
Camera TTL flash system	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI
Camera hotshoe type	Multi Interface	Multi Interface	Multi Interface	Multi Interface	Multi Interface	Multi Interface	Multi Interface	Multi Interface	Multi Interface	Multi Interface	Multi Interface	Multi Interface	Sony - Minolta	Multi Interface	Sony - Minolta	Multi Interface	Multi Interface	Sony - Minolta
Built-in flash	---	---	•	•	•	•	•	---	---	•	•	•	•	•	•	•	---	•
Built-in flash w. Remote TTL Master	---	---	•	---	---	---	---	---	---	•	---	---	---	•	---	---	---	•
NEWEST METZ FLASHES																		
	64 AF-1 digital for Sony Multi-Interface shoe									flash software ≥ V1								
	52 AF-1 digital for Sony Multi-Interface shoe			flash software ≥ V2									flash software ≥ V1					
	44 AF-1 digital for Sony Multi-Interface shoe									flash software ≥ V2								
	36 AF-5 digital for Sony Sony - Minolta shoe									flash software ≥ V1								
	26 AF-1 digital for Sony Multi-Interface shoe									flash software ≥ V1								
	24 AF-1 digital for Sony Sony - Minolta shoe									flash software ≥ V1								
	76 MZ-5 digital with SCA 3302 Sony - Minolta shoe									SCA software M8								
	15 MS-1 digital macro flash Sony mode									flash software ≥ V3								
PREVIOUS METZ FLASHES																		
	58 AF-2 digital for Sony Sony - Minolta shoe									flash software ≥ V1								
	50 AF-1 digital for Sony Sony - Minolta shoe									flash software ≥ V1								

Explanation:
 DSC = Digital System Camera
 DSLR = Digital Single Lens Reflex Camera with changeable lenses
 CSC = Digital System Camera (mirrorless) with changeable lenses
 Fix Lens = Digital Camera with fix lenses

Different Sony camera hot-shoes:
 Sony is changing the hot-shoe from the former Sony-Minolta shoe to the new Sony Multi-Interface shoe. To connect a flash unit with the Sony-Minolta foot on a Sony camera with the new Sony Multi-Interface hot-shoe a Sony adapter ADP-MAA is required!

METZ CAMERA COMPATIBILITY - OLYMPUS



April 2015																				
Latest camera models	OLYMPUS OM-D E-M5 MkII	OLYMPUS PEN E-PL7	OLYMPUS OM-D E-M10	OLYMPUS STYLUS 1	OLYMPUS OM-D E-M1	OLYMPUS PEN E-PL6	OLYMPUS PEN E-P5	OLYMPUS PEN E-PL5	OLYMPUS OM-D E-M5	OLYMPUS STYLUS XZ-2	OLYMPUS PEN E-PM2	OLYMPUS PEN E-PM1	OLYMPUS PEN E-P3	OLYMPUS PEN E-PL3	OLYMPUS STYLUS XZ-1	OLYMPUS OM-D E-5	OLYMPUS PEN E-PL1			
Available since	Mar 15	Sep 14	Feb 14	Dec 13	Oct 13	Jun 13	Jun 13	Oct 12	Oct 12	Oct 12	Oct 12	Sep 11	Sep 11	Sep 11	Mar 11	Feb 11	Oct 10	Mar 10		
Camera type	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC		
Camera TTL flash system	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds		
Camera hotshoe type	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan		
Built-in flash (incl. ex. flash)	(incl. FL-LM3)	---	•	•	(incl. FL-LM3)	(incl. FL-LM3)	•	(incl. FL-LM3)	(incl. FL-LM3)	•	---	---	---	(incl. FL-LM3)	(incl. FL-LM3)	•	•	---		
Built-in flash w. Remote TTL Master	•	---	•	---	•	•	•	•	•	---	---	---	---	•	•	---	•	---		
NEWEST METZ FLASHES																				
	64 AF-1 digital for Oly / Pan																		flash software ≥ V1	
	52 AF-1 digital for Oly / Pan																		flash software ≥ V2	flash software ≥ V1
	44 AF-1 digital for Oly / Pan																		flash software ≥ V2	flash software ≥ V1
	36 AF-5 digital for Oly / Pan																		flash software ≥ V1	
	26 AF-1 digital for Oly / Pan																		flash software ≥ V1	
	24 AF-1 digital for Oly / Pan																		flash software ≥ V1	
	76 MZ-5 digital with SCA 3202																		SCA software ≥ M7	
	15 MS-1 digital macro flash Olympus mode																		flash software ≥ V3	
PREVIOUS METZ FLASHES																				
	58 AF-2 digital for Oly / Pan																		flash software ≥ V2	flash software ≥ V1
	50 AF-1 digital for Oly / Pan																		flash software ≥ V2	flash software ≥ V1

Explanation:
DSC = Digital System Camera
DSLR = Digital Single Lens Reflex Camera with changeable lenses
CSC = Digital System Camera (mirrorless) with changeable lenses
Fix Lens = Digital Camera with fix lenses

METZ CAMERA COMPATIBILITY - PANASONIC



April 2015																					
Latest camera models	PANASONIC LUMIX LX 100	PANASONIC LUMIX GM-5	PANASONIC LUMIX FZ-1000	PANASONIC LUMIX GH-4	PANASONIC LUMIX FZ-72	PANASONIC LUMIX GX-7	PANASONIC LUMIX G-6	PANASONIC LUMIX GH-3	PANASONIC LUMIX FZ-48	PANASONIC LUMIX FZ-200	PANASONIC LUMIX LX-7	PANASONIC LUMIX G-5	PANASONIC LUMIX GX-1	PANASONIC LUMIX FZ-150	PANASONIC LUMIX G-3	PANASONIC LUMIX GF-2	PANASONIC LUMIX GH-2	PANASONIC LUMIX FZ-100			
Available since	Oct 14	Sep 14	Jul 14	May 14	Sep 13	Sep 13	Jun 13	Nov 12	Aug 12	Aug 12	Aug 12	Aug 12	Jan 12	Sep 11	Jul 11	Mar 11	Oct 10	Aug 10			
Camera type	DSC Fix Lens	DSC CSC	DSC Fix Lens	DSC CSC	DSC Fix Lens	DSC CSC	DSC CSC	DSC CSC	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC CSC	DSC CSC	DSC Fix Lens	DSC CSC	DSC CSC	DSC CSC	DSC Fix Lens			
Camera TTL flash system	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds			
Camera hotshoe type	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan			
Built-in flash (incl. ex. flash)	---	---	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
Built-in flash w. Remote TTL Master	---	---	•	•	---	•	•	•	---	---	---	---	---	---	---	---	---	---			
NEWEST METZ FLASHES																					
	64 AF-1 digital for Oly / Pan	flash sw ≥ V2																	flash software ≥ V1		
	52 AF-1 digital for Oly / Pan	flash sw ≥ V3																	flash software ≥ V2	flash software ≥ V1	
	44 AF-1 digital for Oly / Pan																		flash sw ≥ V3	flash software ≥ V2	flash software ≥ V1
	36 AF-5 digital for Oly / Pan																			flash software ≥ V1	
	26 AF-1 digital for Oly / Pan	flash sw ≥ V2																		flash software ≥ V1	
	24 AF-1 digital for Oly / Pan	flash sw ≥ V2																		flash software ≥ V1	
	76 MZ-5 digital with SCA 3202	TEST result will follow																		SCA software ≥ M7	
	15 MS-1 digital macro flash Panasonic mode																			flash software ≥ V3	
PREVIOUS METZ FLASHES																					
	58 AF-2 digital for Oly / Pan	flash sw ≥ V3																		flash software ≥ V2	flash software ≥ V1
	50 AF-1 digital for Oly / Pan	flash sw ≥ V3																		flash software ≥ V2	flash software ≥ V1

Explanation:
 DSC = Digital System Camera
 DSLR = Digital Single Lens Reflex Camera with changeable lenses
 CSC = Digital System Camera (mirrorless) with changeable lenses
 Fix Lens = Digital Camera with fix lenses

METZ CAMERA COMPATIBILITY - PENTAX



April 2015																			
Latest camera models	PENTAX Q-S1	PENTAX K-3	PENTAX Q-7	PENTAX K-500	PENTAX K-50	PENTAX K-5 II a	PENTAX K-5 II	PENTAX K-30	PENTAX K-01	PENTAX Q	PENTAX 645 D	PENTAX K-5	PENTAX K-r	PENTAX K-x	PENTAX K-7	PENTAX K-m	PENTAX K-20 D	PENTAX K-200D	
Available since	Sep 14	Nov 13	Sep 13	Jul 13	Jul 13	Oct 12	Oct 12	Jul 12	Mar 12	Sep 11	Mar 12	Oct 10	Oct 10	Oct 09	Jul 09	Nov 08	Apr 08	Apr 08	
Camera type	DSC CSC	DSC DSLR	DSC CSC	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	Fix Lens	DSC CSC	Medium Format	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	
Camera TTL flash system	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	
Camera hotshoe type	Pentax	Pentax	Pentax	Pentax	Pentax	Pentax	Pentax	Pentax	Pentax	Pentax	Pentax	Pentax	Pentax	Pentax	Pentax	Pentax	Pentax	Pentax	
Built-in flash (incl. ex. flash)	•	•	•	•	•	•	•	•	•	•	---	•	•	•	•	•	•	•	
Built-in flash w. Remote TTL Master	---	•	---	•	•	•	•	•	---	---	---	•	•	•	•	•	•	•	
NEWEST METZ FLASHES																			
	64 AF-1 digital for Pentax																		flash software ≥ V1
	52 AF-1 digital for Pentax																		flash software ≥ V1
	44 AF-1 digital for Pentax																		flash software ≥ V1
	36 AF-5 digital for Pentax																		flash software ≥ V1
	26 AF-1 digital for Pentax																		flash software ≥ V1
	24 AF-1 digital for Pentax																		flash software ≥ V1
	76 MZ-5 digital with SCA 3702																		SCA software ≥ M4 (in preparation)
	15 MS-1 digital macro flash Pentax mode																		flash software ≥ V3
																			SCA software ≥ M3
PREVIOUS METZ FLASHES																			
	58 AF-2 digital for Pentax																		flash software ≥ V4
	50 AF-1 digital for Pentax																		flash software ≥ V1

Explanation:
 DSC = Digital System Camera
 DSLR = Digital Single Lens Reflex Camera with changeable lenses
 CSC = Digital System Camera (mirrorless) with changeable lenses
 Fix Lens = Digital Camera with fix lenses

METZ CAMERA COMPATIBILITY - SAMSUNG



April 2015																			
Latest camera models	SAMSUNG NX-500	SAMSUNG NX-3000	SAMSUNG NX-1	SAMSUNG NX-30	SAMSUNG NX-300 M	SAMSUNG GALAXY NX	SAMSUNG NX 2000	SAMSUNG NX 1100	SAMSUNG NX 300	SAMSUNG NX 20	SAMSUNG EX 2F	SAMSUNG NX 210	SAMSUNG NX 200	SAMSUNG NX 11	SAMSUNG NX 1000	SAMSUNG NX 100	SAMSUNG NX 5	SAMSUNG NX 10	
Available since	Mar 15	Jun 14	Oct 14	Feb 14	Feb 14	Jul 13	May 13	Mar 13	Feb 13	Oct 12	Aug 12	May 12	Sep 11	Mar 11	Sep 10	Sep 10	Jun 10	Mar 10	
Camera type	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	DSC CSC	
Camera TTL flash system	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	
Camera hotshoe type	Samsung	Samsung	Samsung	Samsung	Samsung	Samsung	Samsung	Samsung	Samsung	Samsung	Samsung	Samsung	Samsung	Samsung	Samsung	Samsung	Samsung	Samsung	
Built-in flash (incl. ex. flash)	---	---	•	•	•	---	•	---	---	•	•	---	---	•	---	---	•	•	
Built-in flash w. Remote TTL Master	---	---	•	•	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
NEWEST METZ FLASHES																			
	64 AF-1 digital	NO SAMSUNG VERSION AVAILABLE																	
	52 AF-1 digital	NO SAMSUNG VERSION AVAILABLE																	
	44 AF-1 digital for Samsung	flash software ≥ V2					flash software ≥ V1												
	36 AF-5 digital	NO SAMSUNG VERSION AVAILABLE																	
	26 AF-1 digital for Samsung	flash software ≥ V1																	
	24 AF-1 digital	NO SAMSUNG VERSION AVAILABLE																	
	76 MZ-5 digital with SCA adapter	NO SAMSUNG VERSION AVAILABLE																	
	15 MS-1 digital macro flash Samsung mode	flash software ≥ V4																	
PREVIOUS METZ FLASHES																			
	58 AF-2 digital	NO SAMSUNG VERSION AVAILABLE																	
	50 AF-1 digital	NO SAMSUNG VERSION AVAILABLE																	

Explanation:
 DSC = Digital System Camera
 DSLR = Digital Single Lens Reflex Camera with changeable lenses
 CSC = Digital System Camera (mirrorless) with changeable lenses
 Fix Lens = Digital Camera with fix lenses

METZ CAMERA COMPATIBILITY - LEICA



April 2015																				
Latest camera models	LEICA X (Typ 113)	LEICA X-E (Typ 102)	LEICA M-P (Typ 240)	LEICA T (Typ 701)	LEICA X Vario (Typ 107)	LEICA M (Typ 240)	LEICA M-E	LEICA M Monochrome	LEICA X-2	LEICA M 9 P	LEICA S 2	LEICA M 9	LEICA D-LUX (Typ 109)	LEICA V-LUX (Typ 114)	LEICA D-LUX 6	LEICA V-LUX 4	LEICA V-LUX 3	LEICA D-LUX 5		
Available since	Sep 14	Sep 14	Aug 14	May 14	Jun 13	Jan 13	Sep 12	Aug 12	May 12	Jun 11	Dec 09	Sep 09	Nov 14	Oct 14	Nov 12	Nov 12	Jan 12	Oct 10		
Camera type	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	DSC DSLR	Medium Format	DSC DSLR	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens		
Camera TTL flash system	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds		
Camera hotshoe type	Leica	Leica	Leica	Leica	Leica	Leica	Leica	Leica	Leica	Leica	Leica	Leica	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan	Oly / Pan		
Built-in flash (incl. ex. flash)	---	---	---	•	•	---	---	---	•	---	---	---	---	•	•	•	•	•		
Built-in flash w. Remote TTL Master	---	---	---	---	---	---	---	---	---	---	---	---	---	•	---	---	---	---		
NEWEST METZ FLASHES																				
	64 AF-1 digital for Oly / Pan																		flash sw ≥ V2	flash software ≥ V1
	52 AF-1 digital for Oly / Pan																		flash sw ≥ V3	flash software ≥ V1
	44 AF-1 digital for Oly / Pan																		flash software ≥ V3	flash software ≥ V1
	36 AF-5 digital for Oly / Pan																			flash software ≥ V1
	26 AF-1 digital for Oly / Pan																		flash sw ≥ V2	flash software ≥ V1
	24 AF-1 digital for Oly / Pan																		flash sw ≥ V2	flash software ≥ V1
	76 MZ-5 digital with SCA adapter																		TEST result will follow	SCA 3202 software ≥ M7
	15 MS-1 digital macro flash Oly / Pan mode																			flash software ≥ V3
PREVIOUS METZ FLASHES																				
	58 AF-2 digital for Oly / Pan																		flash sw ≥ V3	flash software ≥ V1
	50 AF-1 digital for Oly / Pan																		flash sw ≥ V3	flash software ≥ V1

Explanation:
 DSC = Digital System Camera
 DSLR = Digital Single Lens Reflex Camera with changeable lenses
 CSC = Digital System Camera (mirrorless) with changeable lenses
 Fix Lens = Digital Camera with fix lenses

METZ CAMERA COMPATIBILITY - FUJIFILM



April 2015																			
Latest camera models	FUJIFILM X-A2	FUJIFILM X-100 T	FUJIFILM X-T1	FUJIFILM XQ1	FUJIFILM X-E2	FUJIFILM X-A1	FUJIFILM X-M1	FUJIFILM X100S	FUJIFILM X-E1	FUJIFILM FinePix HS28EXR	FUJIFILM FinePix HS25EXR	FUJIFILM X-Pro1	FUJIFILM FinePix SL-300	FUJIFILM FinePix HS30EXR	FUJIFILM FinePix X-S1	FUJIFILM FinePix X10	FUJIFILM FinePix HS20EXR	FUJIFILM FinePix X100	
Available since	Feb 15	Feb 15	Mar 14	Nov 13	Nov 13	Oct 13	Aug 13	Feb 13	Nov 12	Jul 12	Jul 12	Mar 12	Mar 12	Mar 12	Jan 12	Oct 11	Apr 11	Apr 11	
Camera type	DSC CSC	DSC Fix Lens	DSC CSC	DSC Fix Lens	DSC CSC	DSC Fix Lens	DSC CSC	DSC CSC	DSC CSC	DSC Fix Lens	DSC Fix Lens	DSC CSC	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	DSC Fix Lens	
Camera TTL flash system	Fujifilm TTL	Fujifilm TTL	Fujifilm TTL	Fujifilm TTL	Fujifilm TTL	Fujifilm TTL	Fujifilm TTL	Fujifilm TTL	Fujifilm TTL	Fujifilm TTL	Fujifilm TTL	Fujifilm TTL	Fujifilm TTL	Fujifilm TTL	Fujifilm TTL	Fujifilm TTL	Fujifilm TTL	Fujifilm TTL	
Camera hotshoe type	Fujifilm	Fujifilm	Fujifilm	Fujifilm	Fujifilm	Fujifilm	Fujifilm	Fujifilm	Fujifilm	Fujifilm	Fujifilm	Fujifilm	Fujifilm	Fujifilm	Fujifilm	Fujifilm	Fujifilm	Fujifilm	
Built-in flash (incl. ex. flash)	•	•	---	•	•	•	•	•	•	•	•	---	•	•	•	•	•	•	
Built-in flash w. Remote TTL Master	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
NEWEST METZ FLASHES																			
	64 AF-1 digital																		NO FUJIFILM VERSION AVAILABLE
	52 AF-1 digital																		NO FUJIFILM VERSION AVAILABLE
	44 AF-1 digital																		NO FUJIFILM VERSION AVAILABLE
	36 AF-5 digital																		NO FUJIFILM VERSION AVAILABLE
	26 AF-1 digital for Fujifilm																		flash software ≥ V1
	24 AF-1 digital																		NO FUJIFILM VERSION AVAILABLE
	76 MZ-5 digital with SCA adapter																		NO FUJIFILM VERSION AVAILABLE
	15 MS-1 digital macro flash																		NO FUJIFILM VERSION AVAILABLE
PREVIOUS METZ FLASHES																			
	58 AF-2 digital																		NO FUJIFILM VERSION AVAILABLE
	50 AF-1 digital																		NO FUJIFILM VERSION AVAILABLE

Explanation:
 DSC = Digital System Camera
 DSLR = Digital Single Lens Reflex Camera with changeable lenses
 CSC = Digital System Camera (mirrorless) with changeable lenses
 Fix Lens = Digital Camera with fix lenses